

Seamless Stainless Steel Pipe

JIS G3459

進口材質 Imported Grades : SUS304TP SUS304LTP · SUS316TP SUS316LTP · SUS304HTP · SUS321TP · SUS317LTP · SUS310STP · SUS347TP

NOMINAL DIAMETER		SCHEDULE NUMBER OUTSIDE DIAMETER	5S		10S		20S		40		80		120		160	
A	B		厚度 MM	重量 KG/M	厚度 MM	重量 KG/M	厚度 MM	重量 KG/M	厚度 MM	重量 KG/M	厚度 MM	重量 KG/M	厚度 MM	重量 KG/M	厚度 MM	重量 KG/M
6	1/8	10.5	1.0	0.234	1.2	0.275	1.5	0.333	1.7	0.369	2.4	0.479	-	-	-	-
8	1/4	13.8	1.2	0.373	1.65	0.494	2.0	0.582	2.2	0.629	3.0	0.799	-	-	-	-
10	3/8	17.3	1.2	0.476	1.65	0.637	2.0	0.755	2.3	0.854	3.2	1.11	-	-	-	-
15	1/2	21.7	1.65	0.816	2.1	1.02	2.5	1.18	2.8	1.31	3.7	1.64	-	-	4.7	1.97
20	3/4	27.2	1.65	1.04	2.1	1.30	2.5	1.52	2.9	1.74	3.9	2.24	-	-	5.5	2.94
25	1	34.0	1.65	1.32	2.8	2.15	3.0	2.29	3.4	2.57	4.5	3.27	-	-	6.4	4.36
32	1·1/4	42.7	1.65	1.67	2.8	2.76	3.0	2.94	3.6	3.47	4.9	4.57	-	-	6.4	5.73
40	1·1/2	48.6	1.65	1.91	2.8	3.16	3.0	3.37	3.7	4.10	5.1	5.47	-	-	7.1	7.29
50	2	60.5	1.65	2.39	2.8	3.98	3.5	4.92	3.9	5.44	5.5	7.46	-	-	8.7	11.1
65	2·1/2	76.3	2.1	3.84	3.0	5.42	3.5	6.28	5.2	9.12	7.0	12.0	-	-	9.5	15.6
80	3	89.1	2.1	4.51	3.0	6.37	4.0	8.39	5.5	11.3	7.6	15.3	-	-	11.1	21.4
90	3·1/2	101.6	2.1	5.15	3.0	7.29	4.0	9.63	5.7	13.5	8.1	18.7	-	-	12.7	27.8
100	4	114.3	2.1	5.81	3.0	8.23	4.0	10.9	6.0	16.0	8.6	22.4	11.1	28.2	13.5	33.6
125	5	139.8	2.8	9.46	3.4	11.4	5.0	16.6	6.6	21.7	9.5	30.5	12.7	39.8	15.9	48.6
150	6	165.2	2.8	11.2	3.4	13.6	5.0	19.8	7.1	27.7	11.0	41.8	14.3	53.2	18.2	66.0
200	8	216.3	2.8	14.7	4.0	20.9	6.5	33.6	8.2	42.1	12.7	63.8	18.2	88.9	23.0	110
250	10	267.4	3.4	22.1	4.0	26.0	6.5	41.8	9.3	59.2	15.1	93.9	21.4	130	28.6	168
300	12	318.5	4.0	31.0	4.5	34.8	6.5	50.0	10.3	78.3	17.4	129	25.4	184	33.3	234
350	14	355.6	4.0	35.0	5.0	43.7	8.0	69.3	11.1	95.3	19.0	159	27.8	227	-	-
400	16	406.4	4.5	45.1	5.0	50.0	8.0	79.4	12.7	125	21.4	205	30.9	289	-	-
450	18	457.2	4.5	50.7	5.0	56.3	8.0	89.5	14.3	158	23.8	257	34.9	367	-	-
500	20	508.0	5.0	62.6	5.5	68.8	9.5	118	15.1	185	26.2	314	38.1	446	-	-
550	22	558.8	5.0	69.0	5.5	75.8	9.5	130	15.9	215	28.6	378	41.3	532	-	-
600	24	609.6	5.5	82.8	6.5	97.7	9.5	142	17.5	258	31.0	447	46.0	646	-	-
650	26	660.4	5.5	89.7	8.0	130	12.7	205	17.5	280	34.0	531	49.1	748	-	-
700	28	711.2	5.5	96.7	8.0	140	12.7	221	17.5	302	-	-	-	-	-	-
750	30	762.0	6.5	122	8.0	150	12.7	237	17.5	325	-	-	-	-	-	-
800	32	812.8	-	-	8.0	160	12.7	253	17.5	347	-	-	-	-	-	-
850	34	863.6	-	-	8.0	171	12.7	269	17.5	369	-	-	-	-	-	-
900	36	914.4	-	-	8.0	181	12.7	285	19.1	426	-	-	-	-	-	-
1000	40	1015.0	-	-	9.5	238	14.3	357	26.2	646	-	-	-	-	-	-



Seamless Stainless Steel Pipe

ASTM A312/A312M ASME SA-312/SA-312M ASTM A790/A790M ASME SA-790/SA-790M

進口材質 Imported Grades : TP304/304L · TP316/316L · TP316Ti · TP304H · TP321 · TP317L · TP310S · TP347 · S31803 · S32205 · S32750

(其他材質資訊歡迎電洽 Please call to find information of other grades)

NOMINAL DIAMETER	OUTSIDE DIAMETER	NOMINAL WALL THICKNESS			厚度 W.T.	重量 WEIGHT
NPS DN	INCH MM	SCHEDULE NUMBER			MM	KG/M
1/8	0.405	10		10S	1.24	0.28
6	10.29	STD	40	40S	1.73	0.36
		XS	80	80S	2.41	0.47
1/4	0.540	10		10S	1.65	0.49
8	13.72	STD	40	40S	2.24	0.63
		XS	80	80S	3.02	0.80
3/8	0.675	10		10S	1.65	0.63
10	17.15	STD	40	40S	2.31	0.84
		XS	80	80S	3.20	1.10
1/2	0.840	5		5S	1.65	0.80
15	21.34	10		10S	2.11	1.00
		STD	40	40S	2.77	1.27
		XS	80	80S	3.73	1.62
		160		4.78	1.95	
		XX			7.47	2.55
3/4	1.050	5		5S	1.65	1.02
20	26.67	10		10S	2.11	1.28
		STD	40	40S	2.87	1.68
		XS	80	80S	3.91	2.19
		160		5.56	2.89	
		XX			7.82	3.63
1	1.315	5		5S	1.65	1.29
25	33.4	10		10S	2.77	2.09
		STD	40	40S	3.38	2.50
		XS	80	80S	4.55	3.23
		160		6.35	4.23	
		XX			9.09	5.45
1 1/4	1.660	5		5S	1.65	1.65
32	42.16	10		10S	2.77	2.69
		STD	40	40S	3.56	3.38
		XS	80	80S	4.85	4.46
		160		6.35	5.60	
		XX			9.70	7.76
1 1/2	1.900	5		5S	1.65	1.90
40	48.26	10		10S	2.77	3.10
		STD	40	40S	3.68	4.05
		XS	80	80S	5.08	5.40
		160		7.14	7.23	
		XX			10.16	9.54



NOMINAL DIAMETER	OUTSIDE DIAMETER	NOMINAL WALL THICKNESS			厚度 W.T.	重量 WEIGHT
NPS DN	INCH MM	SCHEDULE NUMBER			MM	KG/M
2	2.375	5		5S	1.65	2.39
50	60.33	10		10S	2.77	3.93
		STD	40	40S	3.91	5.44
		XS	80	80S	5.54	7.47
		160			8.74	11.11
		XX			11.07	13.44
2 1/2	2.875	5		5S	2.11	3.68
65	73.03	10		10S	3.05	5.26
		STD	40	40S	5.16	8.62
		XS	80	80S	7.01	11.40
		160			9.53	14.90
		XX			14.02	20.37
3	3.500	5		5S	2.11	4.51
80	88.90	10		10S	3.05	6.45
		STD	40	40S	5.49	11.27
		XS	80	80S	7.62	15.25
		160			11.13	21.31
		XX			15.24	27.65
3 1/2	4.000	5		5S	2.11	5.17
90	101.60	10		10S	3.05	7.40
		STD	40	40S	5.74	13.56
		XS	80	80S	8.08	18.60
		XX			16.15	34.01
4	4.500	5		5S	2.11	5.83
100	114.30	10		10S	3.05	8.35
					3.96	10.77
					4.78	12.88
		STD	40	40S	6.02	16.06
		XS	80	80S	8.56	22.29
		120			11.13	28.28
		160			13.49	33.50
		XX			17.12	40.99
4 1/2	5.000	STD	40	40S	6.27	18.65
115	127.00	XS	80	80S	9.02	26.21
		XX			18.03	48.26
5	5.563	5		5S	2.77	9.45
125	141.30	10		10S	3.40	11.56
		STD	40	40S	6.55	21.76
		XS	80	80S	9.53	30.93
		120			12.70	40.24
		160			15.88	49.05
		XX			19.05	57.37
6	6.625	5		5S	2.77	11.29
150	168.28	10		10S	3.40	13.82
					4.78	19.23
		STD	40	40S	7.11	28.23
		XS	80	80S	10.97	42.52
		120			14.27	54.16
		160			18.26	67.49
		XX			21.95	79.12



NOMINAL DIAMETER	OUTSIDE DIAMETER	NOMINAL WALL THICKNESS			厚度 W.T.	重量 WEIGHT
NPS DN	INCH MM	SCHEDULE NUMBER			MM	KG/M
7	7.625	STD	40	40S	7.65	35.08
175	193.70	XS	80	80S	12.70	56.62
		XX			22.23	93.87
8	8.625			5S	2.77	14.75
200	219.08	10		10S	3.76	19.94
		20			6.35	33.28
		30			7.04	36.76
		STD	40	40S	8.18	42.49
		60			10.31	53.04
		XS	80	80S	12.70	64.58
		100			15.09	75.83
		120			18.26	90.35
		140			20.62	100.84
		XX			22.23	107.78
		160			23.01	111.16
9	9.625	STD	40	40S	8.69	50.45
225	244.50	XS	80	80S	12.70	72.50
		XX			22.23	121.69
10	10.750			5S	3.40	22.61
250	273.05			10S	4.19	27.83
					4.78	31.56
		20			6.35	41.73
		30			7.80	50.96
		STD	40	40S	9.27	60.24
		XS	60	80S	12.70	81.47
		80			15.09	95.89
		100			18.26	114.64
		120			21.44	132.89
		140			25.40	154.97
		160			28.58	172.10
11	11.750	STD	40	40S	9.53	67.79
275	298.50	XS	80	80S	12.70	89.39
		XX			22.23	151.24
12	12.750			5S	3.96	31.22
300	323.85			10S	4.57	36.02
		20			6.35	49.68
		30			8.38	65.14
		STD		40S	9.53	73.76
		40			10.31	79.65
		XS		80S	12.70	97.36
		60			14.27	108.87
		80			17.48	131.90
		100			21.44	159.72
		120			25.40	186.76
		140			28.58	207.86
		160			33.32	238.52



NOMINAL DIAMETER	OUTSIDE DIAMETER	NOMINAL WALL THICKNESS			厚度 W.T.	重量 WEIGHT
NPS DN	INCH MM	SCHEDULE NUMBER			MM	KG/M
14	14.000			10S	4.78	41.27
350	355.60	10			6.35	54.63
		20			7.92	67.88
		STD	30	40S	9.53	81.21
		40			11.13	94.41
		XS		80S	12.70	107.29
		60			15.09	126.58
		80			19.05	157.95
		100			23.83	194.74
		120			27.79	224.58
		140			31.75	253.32
		160			35.71	281.43
16	16.000			10S	4.78	47.25
400	406.40	10			6.35	62.58
		20			7.92	77.79
		STD	30	40S	9.53	93.13
		XS	40	80S	12.70	123.18
		60			16.66	159.99
		80			21.44	203.31
		100			26.20	245.29
		120			30.96	286.38
		140			36.53	332.83
		160			40.49	364.99
18	18.000			10S	4.78	53.22
450	457.20	10			6.35	70.53
		20			7.92	87.72
		STD		40S	9.53	105.06
		30			11.13	122.26
		XS		80S	12.70	139.08
		40			14.27	155.78
		60			19.05	205.63
		80			23.83	254.37
		100			29.36	309.50
		120			34.93	363.34
		140			39.67	408.11
		160			45.24	459.13
20	20.000			10S	5.54	68.55
500	508.00	10			6.35	78.48
		STD		40S	9.53	116.98
		XS		80S	12.70	154.97
		40			15.09	183.22
		60			20.62	247.65
		80			26.19	310.85
		100			32.54	381.14
		120			38.10	441.07
		140			44.45	507.63
		160			50.01	564.30



NOMINAL DIAMETER	OUTSIDE DIAMETER	NOMINAL WALL THICKNESS			厚度 W.T.	重量 WEIGHT
NPS DN	INCH MM	SCHEDULE NUMBER			MM	KG/M
22	22.000			10S	5.54	75.47
550	558.80		10		6.35	86.42
		STD	20	40S	9.53	128.89
		XS	30	80S	12.70	170.86
		60			22.23	293.78
		80			28.58	373.25
		100			34.93	450.74
		120			41.28	526.23
		140			47.63	599.73
		160			53.98	671.25
24	24.000	10		10S	6.35	94.37
600	609.60	STD	20	40S	9.53	140.82
		XS		80S	12.70	186.76
		30			14.27	209.37
		40			17.48	254.92
		60			24.61	354.72
		80			30.96	441.39
		100			38.89	546.77
		120			46.02	639.04
		140			52.37	718.97
		160			59.54	806.83
26	26.000		10		7.92	127.39
650	660.40	STD		40S	9.53	152.73
		XS		80S	12.70	202.64
28	28.000		10		7.92	137.30
700	711.20	STD		40S	9.53	164.65
		XS	20	80S	12.70	218.54
			30		15.88	271.93
30	30.000		10		7.92	147.23
750	762.00	STD		40S	9.53	176.58
		XS	20	80S	12.70	234.44
			30		15.88	291.82
32	32.000		10		7.92	157.14
800	812.80	STD			9.53	188.49
		XS	20		12.70	250.33
			30		15.88	311.67
			40		17.48	342.40
34	34.000		10		7.92	167.05
850	863.60	STD			9.53	200.41
		XS	20		12.70	266.22
			30		15.88	331.53
			40		17.48	364.26
36	36.000		10		7.92	176.98
900	914.40	STD		40S	9.53	212.34
		XS		80S	12.70	282.13
42	42.000	STD		40S	9.53	248.09
1050	1066.80	XS		80S	12.70	329.79
			30		15.88	411.00
			40		19.05	491.71
48	48.000	STD		40S	9.53	283.85
1200	1219.20	XS		80S	12.70	377.47

